

DOT/FAA/AM-89-8

Office of Aviation Medicine Washington, D.C. 20591



Performance Evaluation of the Puritan-Bennett Crewmember Portable Protective Breathing Device as Prescribed by Portions of FAA Action Notice A-8150.2

E.A. Higgins G.A. McLean P.J. Lyne G.E. Funkhouser J.W. Young

Civil Aeromedical Institute Federal Aviation Administration Oklahoma City, OK 73125

May 1989

Final Report

DISTRIBUTION STATEMENT A

Approved for public releases
Distribution Unlimited

This document is available to the public through the National Technical Information Service, Springfield, Virginia 22161.



US Department of Transportation

Federal Aviation Administration

89

8 04 047

1. Report No.	2. Government Acces	sion No.	Recipient's Catalog N	Ja			
	ti ooti iiiiiiiiii Acces	3. 1	cecipieni s Caialog r	10.			
DOT/FAA/AM-89/8							
4. Title and Subtitle	III DUDIMAN DEN	5. A	Report Date	····			
PERFORMANCE EVALUATION OF T CREWMEMBER PORTABLE PROTECT		May 1989					
AS PRESCRIBED BY PORTIONS O		6. Performing Organization Code					
A-8150.2	OTTCE						
7. Author's) E.A. Higgins, G.A.	McLoan P I I	8. P	erforming Organizati	an Report No.			
G.E. Funkhouser, and		lyne,					
9. Performing Organization Name and Address		10	Work Unit No. (TRAI	<u> </u>			
FAA Civil Aeromedical Insti		10.	TOR UNIT NO. (IRAI	31			
P.O. Box 25082	Lute	11.	Contract or Grant No				
Oklahoma City, Oklahoma 73	125	-		•			
ottationa offy, ottationa /5.	123	13.	Type of Report and P	eriod Covered			
12. Sponsoring Agency Name and Address=			, , ,				
Office of Aviation Medicine		.					
Federal Aviation Administra							
800 Independence Avenue, S.	W.	14.	Sponsoring Agency C	ode			
Washington, D.C. 20591							
15. Supplementary Notes	edam af ebd						
Research leading to prepara AM-B-88-PRS-81.D and AM-B-8		eport was performe	ed under task	(S			
AN-D-00-1K3-01:D and AN-D-0	9-FK3-01.D.						
16. Abstract: This study wa	c undontaken	on request to our	lucto the se				
the Puritan-Bennett portable							
02. CO2 levels, inhalation/e							
were conducted in the facil	_		_				
			ne duration				
Oklahoma City, OK. (test cham profile are described in FAA							
iterative process in which							
deficiencies, and the device							
sequence was as follows:	resessed uner	promeens contact	776 - 50,714 6,727	The core			
First, the neck scal materi	al was not ela	stic enough and a	more suitab	le material			
was identified and substitu							
Second, the size of the o	· ·	neck seal had to h	ne reduced to	protect the			
smaller subjects;							
Third, identification of in							
the exhalation valve was fo	und, and was	solved by improv	ving the va	lve support			
design;							
Fourth, leaks encountered a				~			
improved quality control for							
Thus, with adequate quality a							
member portable protective b							
requirements of FAA's Action				inhalation			
On concentration, CO2 concent				tunaracton			
temperature. 17. Key Words		18. Distribution Statement					
Crew Portable Protective Brea		Document is avail					
Equipment, Smoke/Fume Environ	through the Natio						
		Information Servi	ice, Springfi	eld,			
		Virginia 22161					
19. Security Classif, (of this report)	20. Security Class	if, (of this page)	21. No. of Pages	22. Price			
				1			
Unclassified	Unclassif	ied	95				
Form DOT F 1700.7 (8-72)	Reproduction of con	ipleted page authorized					

ACKNOWLEDGMENT

The authors wish to acknowledge the assistance of the following groups and individuals who made significant contributions to the conduct of this study:

Ms. Stacy Terrill, Mr. Gary Sharp, and Mr. Roger Elliott, from the University of Oklahoma Health Sciences Center Physicians Associate Program, for the conduct of the preselection physical examinations and the medical monitoring during the conduct of the study.

Mr. Joe Beasley, Ms. Virginia Warren, and Ms. Wilma Fairman of the CAMI Clinical Operations Branch, for their support for physical examinations of the subjects.

Messrs. Chuck Valdez, Dale Nelson, Jim Whitley, and Dave Hehmeyer of the Airman Education Programs Branch for their support in operating the CAMI altitude chamber and providing inside monitoring for the 8,000 ft performance tests.

Messrs. Fenton Winters, David Dyer, and Ellis Young, for photographic documentation.

Table of Contents

							Ti	.t1	<u>.e</u>											Ī	Page Number
Abstract								•	•									•			i
Acknowledgment.	•	•						•						•	•				•		ii
Table of Tables	s .				•				•	•		•									iv
Introduction													•								1
Test Procedures	; .										•					•					1
Results	•		•	•							•			•			•				2
Conclusion	•	•	•								•	•				•					8
Reference Anthr	opo	me	tr	Y	Da	ta	P	ub	li	ca	ti	.on	ıs								9
Appendix A											•										A-1
Appendix B			•						•	•											B-1
Appendix C																•					C-1
Appendix D	•					•				•											D-1
Appendix E		•			•							•	•							•	E-1
Appendix F												_	_	_			_	_	_		F-1



Accesi	on For	1			
DTIC	ounced				
By					
Availability Codes					
Dis t	Avail and Specia				
A-1					

Table of Tables

Table Number	<u>Title</u>						
I	Physical Characteristics of Test Subject Population	. 5					
II	Contaminant Leak Values for Individual Tests	. 5					

PERFORMANCE EVALUATION OF THE PURITAN-BENNETT CREWMEMBER PORTABLE PROTECTIVE BREATHING DEVICE AS PRESCRIBED BY PORTIONS OF FAA ACTION NOTICE A-8150.2

INTRODUCTION

Mr. Kenton D. Warner, Chemical Products Manager for Puritan-Bennett, sent a letter to Dr. W.E. Collins, Acting Manager of CAMI, June 17, 1988, to request support in the performance testing of their crewmember portable protective breathing device (PBE). Dr. Collins authorized direct coordination with the Survival Research Unit and a performance evaluation was initiated.

TEST PROCEDURES

Tests of the devices for contaminant leaks, O_2 , CO_2 levels, inhalation/exhalation pressure, and inhalation temperature were conducted in the CAMI test chamber with the duration and workload profile described in FAA Action Notice A-8150.2. The challenge gas within the test chamber was SF_6 , maintained at a concentration of approximately 1% throughout the 15-minute test period. The SF_6 concentration was measured with a Perkin-Elmer (PE), Model 1100, Medical Gas Analyzer (mass spectrometer).

The PBE is designed as a hood with an oral-nasal mask that uses a chemically-generated source of O_2 . The device works by using potassium superoxide to convert the wearer's exhaled water vapor and CO_2 to O_2 , after an initial burst of O_2 which is generated by a chlorate candle when the PBE is first activated. The amount of O_2 flow, therefore, is not constant, rather is dependent upon the quantity of water vapor and CO_2 supplied in the wearer's exhaled breath.

The chemical generator is mounted externally on the lower posterior portion of the hood, and attached to effluent valves in the oral-nasal mask by soft plastic tubes to form a closed loop. The oral-nasal mask fits snugly over the wearer's mouth and nose, preventing exchange of gases at its exterior edges. Exhaled $\rm CO_2$ and water vapor exit the oral-nasal mask through the valves and travel to the generator, which then disperses the newly formed $\rm O_2$ to be inhaled from the hood. Except for the small quantity of air remaining in the dead space in the oral-nasal mask, the wearer is provided at each breath with air essentially free of water vapor and $\rm CO_2$.

Samples were obtained each minute from the test chamber, from the oral-nasal mask, and from within the PBE outside the oral-nasal mask. Concentration values were resolved electronically to the nearest 1%, and estimated visually to the nearest 0.5% of the challenge atmosphere. The O_2 and CO_2 concentrations were also measured continuously with a second PE Medical Gas Analyzer (MGA). Signals from the MGA were fed directly to a

Analyzer (MGA). Signals from the MGA were fed directly to a Compaq Portable III computer, where data were stored and treated for each test run. Continuous pressure measurements, made with a Stathem pressure transducer, and temperature measurements (in °C), using a copper-constantan thermocouple, were taken within the oral-nasal mask. These responses were also fed to the computer for data storage and handling.

Prior to testing, the tests and objectives were fully described to the subjects, after which they executed an informed consent form. Subjects were then given a physical examination including an exercise stress test at the workload prescribed by the Action Notice.

Performance testing was conducted on a day after the physical exam and workload screening. On the day of the test, subjects received an additional medical screening before viewing a videotape, which described the functioning of the PBE and the proper donning procedure. They then were fitted with plain eye glasses and had an opportunity to practice the donning of a PBE. Subjects were fitted with EKG electrodes and a blood pressure cuff for medical monitoring. After adjusting the bicycle ergometer seat to the correct height, the PBE was donned and activated. The chamber door was closed and the SFs introduced. As the SFs concentration reached 1% the subject was instructed to begin pedalling the bicycle ergometer. When the subject achieved a rate of 50 rpm, the beginning workload was applied and the 15-min test protocol begun.

Subjects then followed the workload prescribed in the Action Notice, i.e.:

```
00 to 05 minutes at 0.33 watts/lb body weight 05 to 07 minutes at 0.66 watts/lb body weight 07 to 12 minutes at 0.50 watts/lb body weight 12 to 14 minutes at 0.66 watts/lb body weight 14 to 15 minutes at 0.33 watts/lb body weight
```

To partially comply with one of the requirements of TSO C-99, subjects moved their heads slowly from side to side (as though scanning instruments) during the seventh minute, moved their heads up and down during the tenth minute, and recited their "ABC's" aloud during the 13th minute of the test.

For subject safety during the test, heart rate (HR) and EKG were monitored continuously and blood pressure periodically.

RESULTS

The first series of tests were begun August 1, 1988. Only eight tests were completed when it became obvious that the devices leaked significantly at the neck seal if subjects had small neck circumferences. The neck seals were constructed of a 0.003" polyurethane film with the neck opening 3.25 " in

diameter. At the request of Puritan-Bennett, testing was stopped and was resumed only after modifications could be made to the neck seal. The data from these tests are available, but are not presented in this report.

The second phase of testing began September 14, 1988. Initially, the modified neck seal was made of 0.012" latex with a neck opening of 3.00". This appeared to solve the problems associated with the neck seal leakage, until subjects F-5 and F-6 (Figs. 1 and 2, p. A-3) were tested and the neck seal leakage reappeared. The diameter of the neck seal opening was then reduced to 2 1/2" and these two subjects retested. This eliminated the neck seal leakage problem for these subjects (Figs. 7 and 8, p. A-6).

Even though the challenge gas leakage problem at the neck sealneck interface appeared to be solved with the implementation of a latex neck seal with an opening of 2 1/2 inches in diameter, leakage problems with five of there were other To determine the source of the leaks, those failed devices were first examined visually. For one of the devices, it was obvious that the leaks were from breaks in the seams of the material. For those devices where leak sources could not be determined visually, the devices were placed with the neck seal over a stainless steel cylinder and then filled with one percent SFs and the sampling tube of the mass spectrometer passed over the possible sources of leakage until the leak site There were leaks at the seams and hardware (tightening straps) attachment points.

At least two of the devices failed because of excessive CO_2 concentrations within the oral-nasal mask. On visual inspection, it was found that the flapper on one of the exhalation valves was inverted on its support ring (probably caused by the flushing action of the initial surge of O_2 from the chlorate candle), thus preventing the complete clearance of the exhaled breath from the mask. (The graphs of the CO_2 concentrations for these two tests are on page C-3 of Appendix C).

On September 23, Puritan-Bennett requested another break in the testing schedule until these leak problems could be solved by improved quality control procedures.

The third phase of testing was begun on October 11th. All of the tests conducted in the earlier phase, for which there was an adequate protection from the challenge gas, were accepted as representing adequate quality control, and only the failures due to PBE leakage (not from the neck seal) were retested during this final phase. This required the testing of PBE's for 10 males and 5 females, which we felt to be an adequate sample for verifying the needed quality control. These tests were completed on October 19.

The modifications made for added support of the exhalation valve were satisfactory and no new problems with CO_2 were found. Only one test resulted in an unsatisfactory SF_6 leakage and this subject was retested with another PBE.

In addition to the tests run at ground level (Oklahoma City is about 1,300 ft above sea level), three male subjects repeated the test protocol in the CAMI altitude chamber at 8,000 ft simulated altitude for all parameters except the contaminant leak portion of the test. This was done to establish that tests at cabin altitude would not differ significantly from those conducted at ground level.

The test results for these three subjects have been plotted on the same graphs for O_2 concentrations, CO_2 concentrations, inhalation/exhalation pressures, and inhalation temperatures for both altitudes. The graphs for all measured parameters for these three subjects are found in Appendix F.

Table I gives the physical description of the 12 male and 12 female subjects tested while using PBE for which the results of the tests were satifactory. Two of the females were tested with the smallest (2 1/2") diameter neck seal. Based on the anthropometry data cited, the 5th percentile in weight for females is 106 lbs (3) and the 5th percentile female neck circumference is 12.2 " (310 mm) (3). The 95th percentile weight and neck circumference for males are 220 lbs and 16.1" (409 mm), respectively (10).

Results are presented below according to the parameter specifications of the Action Notice.

Contaminant-Leakage:

The results of the contaminant leak tests are presented in graphic form in Appendix A. The SF₆ levels within the PBE were measured once per minute through the profile prescribed by the Action Notice and are presented as a decimal fraction of the challenge atmosphere. The value plotted represents the average of the three values measured: i) within the oral-nasal mask, ii) within the left side of the PBE interior outside the mask, and iii) within the right side of the PBE interior outside the mask.

A successful test required that the average SF_6 level for the 15-min period not exceed 5% of the challenge atmosphere, and that not more than three of the individual measurements could exceed that level, regardless of the 15-min average. The individual graphs of the tests for all 24 subjects are presented in Appendix A. Table II presents the 15-min averages for each subject and the number of points which exceeded the 5% level.

TABLE I
PHYSICAL CHARACTERISTICS OF TEST SUBJECT POPULATION

St	ubject	Age	e Height	Weight	Neck Cir	FVC
Nt	umber	(yr	s) (in.)	(lbs.)	(in./mm)	(L)
				Subjects		222
	F-1	19	67.50	148.00	12.8/325	4.53
	F-2	19	63.75	112.00	13.0/330	3.69
	F-3	35	69.75	131.50	12.7/323	4.64
	F-4	24	59.00	111.25	11.8/300*	3.42
	F-5	32	65.50	122.00	12.2/310*	4.10
	F-6	25	65.50	113.00	11.4/290*	3.92
	F-7	35	69.75	141.50	12.6/320	5.70
	F-8	19	67.50	144.00	12.7/323	4.37
	F-9	29	68.75	156.00	13.1/333	4.65
	F-10	23	60.50	98.50*	11.3/287*	3.44
	F-11	20	66.38	135.50	12.2/310*	4.76
	F-12	20	63.50	111.50	11.9/302*	3.93
*At	or below	the	fifth percen			• • • • • • • • • • • • • • • • • • • •
				ubjects		
	M-1	26	71.50	130.00	14.2/361	5.00
	M-2	34	68.00	147.25	15.2/386	5.91
	M-3	33	70.00	147.00	14.0/356	5.83
	M-4	30	75.75	211.50	15.9/404	7.01
	M-5	27	71.00	170.00	14.5/368	5.98
	M-6	24	72.00	161.25	15.6/396	5.35
	M-7	33	69.00	161.00	13.1/333	5.78
	M-8	20	71.50	120.50	13.9/353	4.90
	M-9	27	71.50	165.00	15.5/394	6.77
	M-10	25	68.00	149.25	15.9/404	5.70
	M-11	31	73.00	224.00*	16.6/422*	6.20
	M-12	23	74.75	183.75	15.5/394	6.46
* At			ninety-fifth			00

^{*} At or above the ninety-fifth percentile.

TABLE II
Contaminant Leak Values for Individual Tests

		Points			Points
Subject	15-min	Above	Subject	15-min	Above
Number	Average	5%	Number	Average	5%
F-1	.016	0	M-1	.036	0
F-2	.034	0	M- 2	.010	0
F-3	.018	0	M-3	.017	0
F-4	.032	0	M-4	.015	0
F-5	.035	0	M- 5	.037	0
F-6	.013	0	M-6	.016	0
F-7	.025	0	M-7	.011	0
F-8	.020	0	M-8	.009	0
F-9	.017	0	m- 9	.026	0
F-10	.034	2	M-10	.016	0
F-11	.016	0	M-11	.012	0
F-12	.022	0	M-12	.033	0

The population from which the percentiles are derived is an important consideration to the test procedure. Yet, no known data source for the current airline crew population is available. The two graphs that follow demonstrate data for the mean, +1, and +2 standard deviations for four female populations and four male populations, with the minimum (T MIN) and maximum (T MAX) measurements for each gender from our test population.

As shown, the maximum neck circumference for our test populations (both female and male) exceeded the mean plus two standard deviations for all of the reference populations. The minimum neck circumference for our test populations was larger than the mean minus 2 standard deviations for two of the reference populations for both males and females.

Inhalation Oxygen Concentration:

Although the level of O_2 concentration is not specifically defined in the Action Notice, the O_2 level was measured inside the oral-nasal mask; this concentration always increased throughout the 15-min test period, with no measurements dropping below the normal ambient level of 21%.

Oxygen concentration, across time, has been graphed for all 24 subjects. These graphs are presented in Appendix B.

Inhalation Carbon Dioxide Concentration:

The performance requirement 2.(a) states that the CO_2 concentration level at mouth/nose shall not exceed 4%, although the concentration may increase to 5% for a period not exceeding 2 minutes. None of the values exceeded even the 4% level, so there was no need to determine the average level for the 15-min period.

The results of the measured CO_z levels are presented for all 24 subjects in Appendix C. Both minimum and average values are presented.


Internal PBE Temperature:

Requirement 5 states: "The internal temperature of the device shall not exceed 40°C, wet bulb, at an ambient temperature of 21°C. With the measurement system used, we were able to measure only dry bulb temperature. However, since the dry bulb never exceeded 40°C, it was not necessary to have the wet bulb. The temperature measurements are presented in graphs for all 24 subjects in Appendix D.

Inhalation/Exhalation Pressures:


Requirement 8 specifies: "The breathing resistance shall not exceed 3 1/2 inches of water from sea level to 8,000 ft

COMPARATIVE U.S. FEMALE DATA BASES TEST SUBJECT DISTRIBUTION LIMITS



1=CAMI-71 2=CAMI-DB 3=USAF-68 4=USA-77

COMPARATIVE U.S. MALE DATA BASES TEST SUBJECT DISTRIBUTION LIMITS



1=ATC-65 2=CAMI-DB 3=USAF-65 4=USA-66

altitude. The measured pressures are presented in Appendix E. All values were well within the specified limits.

Altitude Comparison Tests:

Although O_2 concentrations were lower at 8,000 ft altitude than at ground level for all three subjects, the concentrations were well above 21% in all instances (pps. F-2 through F-4). Carbon dioxide values were higher at ground level for two subjects and higher at 8,000 ft for one subject, but again all values were well within the acceptable limits (pps. F-5 through F-7). The comparisons of inhalation/exhalation pressures are found on pps. F-8 through F-10, and inhalation temperatures are depicted on pps. F-11 through F-13.

CONCLUSIONS

The iterative process necessary for this series of tests, i.e., assessing performance, identifying problems, correcting the identified problems and retesting, proved to be a good method of assuring that this particular PBE is suitable for its intended use.

To summarize this process: First, the neck seal material was not elastic enough and a more suitable material was identified and substituted. Second, the size of the opening of the neck seal had to be reduced to be protective for the smaller individuals tested; this was accomplished successfully. Then, identification of increased CO₂ resulting from the occasional inversion of the exhalation valve was found, which was solved by improved valve design. Finally, leaks encountered at locations other than neck seals were overcome by more impermeable seams and hardware seals obtained through improved quality control.

Thus, with adequate quality assurance, the final version of the Puritan-Bennett crewmember portable protective breathing device, as tested at CAMI, would meet the requirements of FAA's Action Notice 8150.2 regarding contaminant leak protection, O_2 concentration, inhaled CO_2 concentration, inhalation/exhalation pressures and inhalation temperature.

REFERENCE ANTHROPOMETRY DATA PUBLICATIONS FROM IN NASA 1024**

FEMALE DATA

- * 01 DATA SOURCE: #1 FEMALE CIV, FAA-AM-75-2, 1975 (1971)
 - N = 422 AGE = 19-28
 - 02 DATA SOURCE: #2 FEMALE CIV, USDA MISC PUB NO. 454, 1941 N = 10,042 AGE = --- (CAUCASIAN ONLY)
- * 03 DATA SOURCE: #7 FEMALE MIL, USAF AMRL TR 70-5, 1972 N = 1905 AGE = 18-57 (1968)
 - 04 DATA SOURCE: #10 FEMALE MIL, USAF AMRL TR 70-5, 1972
 - N = 131 AGE = 18-57 (NEGROID SUBJECTS) (1968) 05 DATA SOURCE: #11 FEMALE CIV, NAT HEALTH EXAM SURVEY
 - N = 3581 AGE = 18-79
 - 06 DATA SOURCE: #101 FEMALE CIV, HANES, PHS 51-1317, SER.
 - N = 5359 AGE = 18-65 1, No. 15

MALE DATA

- * 07 DATA SOURCE: #13 MALE CIV, FAA-AM-65-26, 1965
 - N = 678 AGE = 21-46
 - 08 DATA SOURCE: #18 MALE MIL, USAF WADC TR 52-321, 1954
 - N = 4000 AGE = 18-45
- * 09 DATA SOURCE: #19 MALE MIL, USAF 1965 UNPUB
 - N = 3859 AGE = ---
- * 10 DATA SOURCE: #30 MALE MIL, USANL TR 72-51-CE, 1971
 - N = 6682 AGE = 17-55 (1966)
 - 11 DATA SOURCE: #31 MALE MIL, USN SURVEY 1966 UNPUB
 - N = 4095 AGE = 17-31
 - 12 DATA SOURCE: #37 MALE CIV, NAT HEALTH EXAM SURVEY 1962
 - N = 3091 AGE = 18-70
 - 13 DATA SOURCE: #101 MALE CIV, HANES, PHS 51-1317, SER. 1,
 - N = 4871 AGE = 18-65 NO. 15.

REFERENCE ANTHROPOMETRY DATA PUBLICATIONS NOT IN NASA 1024**

FEMALE DATA

- * 14 DATA SOURCE: FEMALE MIL, USANL TR 77/024 & 028, 1977
 - N = 1330 AGE = 17-55
- * 15 DATA SOURCE: FEMALE CIV, FAA CAMI-DB, 1988
 - N = 373 AGE = 17-68

MALE DATA

- * 16 DATA SOURCE: MALE CIV, FAA CAMI-DB, 1988
 - N = 373 AGE = 17-68
- * = Sources used for graphs.
- **NASA Reference Publication 1024, Anthropometric Source Book, Edited by Staff of Anthroplogy Research Project, Webb Associates, Yellow Springs, Ohio, NASA Scientific and Technical Information Office, 1978.

APPENDIX A


Individual Graphs of Contaminant Leak Tests - Internal PBE Concentrations as Decimal Fraction of Challenge Atmosphere Through Time.

Figure Number	<u>Title</u>	Page Number
1	Graph of Contaminant Leak Tests for Subject F-5, with 3" Diameter Neck Seal	A-3
2	Graph of Contaminant Leak Tests for Subject F-6, with 3" Diameter Neck Seal	A-3
3	Graph of Contaminant Leak Tests for Subject F-1	A-4
4	Graph of Contaminant Leak Tests for Subject F-2	A-4
5	Graph of Contaminant Leak Tests for Subject F-3	A-5
6	Graph of Contaminant Leak Tests for Subject F-4	A-5
7	Graph of Contaminant Leak Tests for Subject F-5	A-6
8	Graph of Contaminant Leak Tests for Subject F-6	A-6
9	Graph of Contaminant Leak Tests for Subject F-7	A-7
10	Graph of Contaminant Leak Tests for Subject F-8	A-7
11	Graph of Contaminant Leak Tests for Subject F-9	8-A
12	Graph of Contaminant Leak Tests for Subject F-10	A-8
13	Graph of Contaminant Leak Tests for Subject F-11	A- 9
14	Graph of Contaminant Leak Tests for Subject F-12	A- 9
15	Graph of Contaminant Leak Tests for Subject M-1	A-10


Appendix A - continued

Figure Number	Title	Page Number
16	Graph of Contaminant Leak Tests for Subject M-2	. A-10
17	Graph of Contaminant Leak Tests for Subject M-3	. A-11
18	Graph of Contaminant Leak Tests for Subject M-4	. A-11
19	Graph of Contaminant Leak Tests for Subject M-5	. A-12
20	Graph of Contaminant Leak Tests for Subject M-6	. A-12
21	Graph of Contaminant Leak Tests for Subject M-7	. A-13
22	Graph of Contaminant Leak Tests for Subject M-8	. A-13
23	Graph of Contaminant Leak Tests for Subject M-9	. A-14
24	Graph of Contaminant Leak Tests for Subject M-10	. A-14
25	Graph of Contaminant Leak Tests for Subject M-11	. A-15
26	Graph of Contaminant Leak Tests for Subject M-12	. A-15
27	Graph of Contaminant Leak Tests for Mean of All Male Subjects	. A-16
28	Graph of Contaminant Leak Tests for Mean of	A-16


PURITAN CREW PBE INFILTRATION SUBJECT F-5, 3.0 INCH NECKSEAL



PURITAN CREW PBE INFILTRATION SUBJECT F-6, 3.0 INCH NECKSEAL




-Figure 2-




PERCENT ST6

-Figure 3-


PURITAN CREW PBE INFILTRATION SUBJECT F-2




-Figure 4-




PURITAN CREW PBE INFILTRATION SUBJECT F-4






PURITAN CREW PBE INFILTRATION SUBJECT F-6




PERCENT STB


-Figure 8-



PURITAN CREW PBE INFILTRATION SUBJECT F-8




A-7




PERCENT ST6


PURITAN CREW PBE INFILTRATION SUBJECT F-10




-Figure 12-




PURITAN CREW PBE INFILTRATION SUBJECT F-12




-Figure 14-




PURITAN CREW PBE INFILTRATION SUBJECT M-2




-Figure 16-




PURITAN CREW PBE INFILTRATION SUBJECT M-4






PERCENT ST6


PURITAN CREW PBE INFILTRATION SUBJECT M-6




-Figure 20-




PURITAN CREW PBE INFILTRATION SUBJECT M-8







PURITAN CREW PBE INFILTRATION SUBJECT M-10




-Figure 24-



PURITAN CREW PBE INFILTRATION SUBJECT M-12




PURITAN CREW PBE INFILTRATION AVERAGE - ALL MALE SUBJECTS



PERCENT STB

PURITAN CREW PBE INFILTRATION AVERAGE - ALL FEMALE SUBJECTS



APPENDIX B


Individual Graphs of Internal PBE Oxygen Concentration in Percent Through Time

Figure Number		Title		Page Number
29	Graph of Oxygen Co Subject F-1			B-3
30	Graph of Oxygen Co Subject F-2			B-3
31	Graph of Oxygen Co Subject F-3			B-4
32	Graph of Oxygen Co Subject F-4			B-4
33	Graph of Oxygen Co Subject F-5			B-5
34	Graph of Oxygen Co Subject F-6			B-5
35	Graph of Oxygen Co Subject F-7			B-6
36	Graph of Oxygen Co Subject F-8			B-6
37	Graph of Oxygen Co Subject F-9			B-7
38	Graph of Oxygen Co Subject F-10			B-7
39	Graph of Oxygen Co Subject F-11			B-8
40	Graph of Oxygen Co Subject F-12			B-8
41	Graph of Oxygen Co Subject M-1			B-9
42	Graph of Oxygen Co Subject M-2			B-9
43	Graph of Oxygen Co Subject M-3	ncentration	Levels for	B-10


APPENDIX B - continued

Figure Number		<u>Title</u>	Page Number
44	Graph of Oxygen Subject M-4		B-10
45	Graph of Oxygen Subject M-5		B-11
46	Graph of Oxygen Subject M-6		B-11
47	Graph of Oxygen Subject M-7		B-12
48	Graph of Oxygen Subject M-8		B-12
49	Graph of Oxygen Subject M-9		B-13
50	Graph of Oxygen Subject M-10		B-13
51	Graph of Oxygen Subject M-11		B-14
52	Graph of Oxygen Subject M-12		B-14


INSPIRATORY OXYGEN VALUES F-1, CAMI TESTS - GROUND LEVEL




INSPIRATORY OXYGEN VALUES F-2, CAMI TESTS - GROUND LEVEL



INSPIRATORY OXYGEN VALUES F-3, CAMI TESTS - GROUND LEVEL




INSPIRATORY OXYGEN VALUES F-4, CAMI TESTS - GROUND LEVEL




PERCENT CAMEDA

INSPIRATORY OXYGEN VALUES F-5, CAMI TESTS - GROUND LEVEL




PERCENT CKYCEN

INSPIRATORY OXYGEN VALUES F-6, CAMI TESTS - GROUND LEVEL




INSPIRATORY OXYGEN VALUES F-7, CAMI TESTS - GROUND LEVEL




PERCENT CAYCEN

PERCENT CRYCEN

INSPIRATORY OXYGEN VALUES F-8, CAMI TESTS - GROUND LEVEL




INSPIRATORY OXYGEN VALUES F-9, CAMI TESTS - GROUND LEVEL




PERCENT CKYCEN

INSPIRATORY OXYGEN VALUES F-10, CAMI TESTS - GROUND LEVEL




INSPIRATORY OXYGEN VALUES F-11, CAMI TESTS - GROUND LEVEL




FERCENT CRYCEN

PERCENT OXYGEN


INSPIRATORY OXYGEN VALUES F-12, CAMI TESTS - GROUND LEVEL




INSPIRATORY OXYGEN VALUES M-1, CAMI TESTS - GROUND LEVEL




INSPIRATORY OXYGEN VALUES M-2, CAMI TESTS - GROUND LEVEL



INSPIRATORY OXYGEN VALUES M-3, CAMI TESTS - GROUND LEVEL




INSPIRATORY OXYGEN VALUES M-4, CAMI TESTS - GROUND LEVEL




PERCENT OXYGEN

INSPIRATORY OXYGEN VALUES M-5, CAMI TESTS - GROUND LEVEL




INSPIRATORY OXYGEN VALUES M-6, CAMI TESTS - GROUND LEVEL



PERCENT OXYGEN


INSPIRATORY OXYGEN VALUES M-7, CAMI TESTS - GROUND LEVEL



PERCENT CANCEN


PERCENT OXYGEN

INSPIRATORY OXYGEN VALUES M-8, CAMI TESTS - GROUND LEVEL




B-12


INSPIRATORY OXYGEN VALUES M-9, CAMI TESTS - GROUND LEVEL



INSPIRATORY OXYGEN VALUES M-10, CAMI TESTS - GROUND LEVEL




INSPIRATORY OXYGEN VALUES M-11, CAMI TESTS - GROUND LEVEL



PERCENT CONCEN

INSPIRATORY OXYGEN VALUES M-12, CAMI TESTS - GROUND LEVEL



APPENDIX C

Individual Graphs of Inhalation Carbon Dioxide Concentration in Percent Through Time


Figure Number	<u>Title</u>	Page <u>Number</u>
53	Graph of Carbon Dioxide Concentration Levels for Unsatisfactory Test (M-4)	C-3
54	Graph of Carbon Dioxide Concentration Levels for Unsatisfactory Test (F-9)	C-3
55	Graph of Carbon Dioxide Concentration Levels for Subject F-1	C-4
56	Graph of Carbon Dioxide Concentration Levels for Subject F-2	C-4
57	Graph of Carbon Dioxide Concentration Levels for Subject F-3	C-5
58	Graph of Carbon Dioxide Concentration Levels for Subject F-4	C-5
59	Graph of Carbon Dioxide Concentration Levels for Subject F-5	C-6
60	Graph of Carbon Dioxide Concentration Levels for Subject F-6	C-6
61	Graph of Carbon Dioxide Concentration Levels for Subject F-7	C-7
62	Graph of Carbon Dioxide Concentration Levels for Subject F-8	C-7
63	Graph of Carbon Dioxide Concentration Levels for Subject F-9	C-8
64	Graph of Carbon Dioxide Concentration Levels for Subject F-10	C-8
65	Graph of Carbon Dioxide Concentration Levels for Subject F-11	C-9
66	Graph of Carbon Dioxide Concentration Levels for Subject F-12	C-9
67	Graph of Carbon Dioxide Concentration Levels for Subject M-1	C-10

APPENDIX C - continued


Figure Number	<u>Title</u>				Page Number
68	Graph of Carbon Dioxide Concentration Levels for Subject M-2		•	•	C-10
69	Graph of Carbon Dioxide Concentration Levels for Subject M-3	•	•	•	C-11
70	Graph of Carbon Dioxide Concentration Levels for Subject M-4	•	•		C-11
71	Graph of Carbon Dioxide Concentration Levels for Subject M-5	•	•	•	C-12
72	Graph of Carbon Dioxide Concentration Levels for Subject M-6	•	•	•	C-12
73	Graph of Carbon Dioxide Concentration Levels for Subject M-7		•	•	C-13
74	Graph of Carbon Dioxide Concentration Levels for Subject M-8	•			C-13
75	Graph of Carbon Dioxide Concentration Levels for Subject M-9	•	•	•	C-14
76	Graph of Carbon Dioxide Concentration Levels for Subject M-10	•	•	•	C-14
77	Graph of Carbon Dioxide Concentration Levels for Subject M-11	•			C-15
78	Graph of Carbon Dioxide Concentration Levels for Subject M-12	•		•	C-15

INSPIRATORY CO2 VALUES MALE 4/15/88, HIGH CO2 LEVEL


FENCENII COZ




INSPIRATORY CO2 VALUES FEMALE 9/23/88, HIGH CO2 LEVEL



INSPIRATORY CO2 VALUES F-1, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES F-2, CAMI TESTS - GROUND LEVEL




FEXCENT COZ


INSPIRATORY CO2 VALUES F-3, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES F-4, CAMI TESTS - GROUND LEVEL



INSPIRATORY CO2 VALUES F-5, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES F-6, CAMI TESTS - GROUND LEVEL




FERCENT CO2

INSPIRATORY CO2 VALUES F-7, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES F-8, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES F-9, CAMI TESTS - GROUND LEVEL


PERCENT COZ




INSPIRATORY CO2 VALUES F-10, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES F-11, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES F-12, CAMI TESTS - GROUND LEVEL



INSPIRATORY CO2 VALUES M-1, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES M-2, CAMI TESTS - GROUND LEVEL




C-10


INSPIRATORY CO2 VALUES M-3, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES M-4, CAMI TESTS - GROUND LEVEL



INSPIRATORY CO2 VALUES M-5, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES M-6, CAMI TESTS - GROUND LEVEL




FENCENT CO2


INSPIRATORY CO2 VALUES M-7, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES M-8, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES M-9, CAMI TESTS - GROUND LEVEL




INSPIRATORY CO2 VALUES M-10, CAMI TESTS - GROUND LEVEL



INSPIRATORY CO2 VALUES M-11, CAMI TESTS - GROUND LEVEL



INSPIRATORY CO2 VALUES M-12, CAMI TESTS - GROUND LEVEL



APPENDIX D


Individual Graphs of Internal PBE Dry Bulb Temperature in $^{\circ}\text{C}$ Through Time

Figure Number	<u>Title</u>	Page Number
79	Graph of Internal PBE Temperature for Subject F-1	D-3
80	Graph of Internal PBE Temperature for Subject F-2	D-3
81	Graph of Internal PBE Temperature for Subject F-3	D-4
82	Graph of Internal PBE Temperature for Subject F-4	D-4
83	Graph of Internal PBE Temperature for Subject F-5	D-5
84	Graph of Internal PBE Temperature for Subject F-6	D-5
85	Graph of Internal PBE Temperature for Subject F-7	D-6
86	Graph of Internal PBE Temperature for Subject F-8	D-6
87	Graph of Internal PBE Temperature for Subject F-9	D-7
88	Graph of Internal PBE Temperature for Subject F-10	D-7
89	Graph of Internal PBE Temperature for Subject F-11	D-8
90	Graph of Internal PBE Temperature for Subject F-12	D-8
91	Graph of Internal PBE Temperature for Subject M-1	D-9
92	Graph of Internal PBE Temperature for Subject M-2	D-9
93	Graph of Internal PBE Temperature for Subject M-3	D-10


APPENDIX D

Figure Number		T	itle						Page Number
94	Graph of Internal Subject M-4				•	•		•	D-10
95	Graph of Internal Subject M-5					•	•	•	D-11
96	Graph of Internal Subject M-6					•	•		D-11
97	Graph of Internal Subject M-7		-				•	•	D-12
98	Graph of Internal Subject M-8		_				•	•	D-12
99	Graph of Internal Subject M-9				•	•	•	•	D-13
100	Graph of Internal Subject M-10		-	for	•	•		•	D-13
101	Graph of Internal Subject M-11		_			•		•	D-14
102	Graph of Internal Subject M-12								D-14

MASK INTERNAL TEMPERATURE F-1, CAMI TEST - GROUND LEVEL




MASK INTERNAL TEMPERATURE F-2, CAMI TEST - GROUND LEVEL



DRY BULB TEMPERATURE DEG C.


MASK INTERNAL TEMPERATURE F-3, CAMI TEST - GROUND LEVEL




DRY BULB TEMPERATURE DEC C.

DRY BLLB TEAFTRATURE DEC C.

MASK INTERNAL TEMPERATURE F-4, CAMI TEST - GROUND LEVEL




MASK INTERNAL TEMPERATURE F-5, CAMI TEST - GROUND LEVEL




DRY BULB TEMPERATURE DEC C.

DRY BUB TEAFTRATURE DEG C

MASK INTERNAL TEMPERATURE F-6, CAMI TEST - GROUND LEVEL




MASK INTERNAL TEMPERATURE F-7, CAMI TEST - GROUND LEVEL




DRY BLLB TEMPERATURE DEC C

DRY GUB TEMPERATURE DEC C

MASK INTERNAL TEMPERATURE F-8, CAMI TEST - GROUND LEVEL




MASK INTERNAL TEMPERATURE F-9, CAMI TEST - GROUND LEVEL




DRY BULB TEMPERATURE DEG C.

TRY BUB TEAFTRAINE DEC C.

MASK INTERNAL TEMPERATURE F-10, CAMI TEST - GROUND LEVEL




MASK INTERNAL TEMPERATURE F-7, CAMI TEST - GROUND LEVEL




DRY BLLB TEAFFEATURE DEC C

DRY BLIB TEAFTRATUFE DEG C

MASK INTERNAL TEMPERATURE F-8, CAMI TEST - GROUND LEVEL




MASK INTERNAL TEMPERATURE M-1, CAMI TESTS - GROUND LEVEL




DRY BLLB TELPERATURE DEG C

DRY BULB TEMPERATURE DEG C.


MASK INTERNAL TEMPERATURE M-2, CAMI TESTS - GROUND LEVEL



MASK INTERNAL TEMPERATURE M-3, CAMI TESTS - GROUND LEVEL




MASK INTERNAL TEMPERATURE M-4, CAMI TESTS - GROUND LEVEL




DRY BULB TEMPERATURE DEG C.

MASK INTERNAL TEMPERATURE M-5, CAMI TESTS - GROUND LEVEL




MASK INTERNAL TEMPERATURE M-6, CAMI TESTS - GROUND LEVEL



DRY BULB TEAPPRATURE DEG C.


MASK INTERNAL TEMPERATURE M-7, CAMI TESTS - GROUND LEVEL




DRY BUB TBAFFRATURE DEC C.

DRY BUB TEMPERATURE DEG C.

MASK INTERNAL TEMPERATURE M-8, CAMI TESTS - GROUND LEVEL




MASK INTERNAL TEMPERATURE M-9, CAMI TESTS - GROUND LEVEL




DRY BULB TEMPERATURE DEG C.

MASK INTERNAL TEMPERATURE M-10, CAMI TESTS - GROUND LEVEL




MASK INTERNAL TEMPERATURE M-11, CAMI TESTS - GROUND LEVEL



DRY BUB TEAFCRATURE DEC C.

CKY BUIB TEAPPRATURE DEC C.

MASK INTERNAL TEMPERATURE M-12, CAMI TESTS - GROUND LEVEL



APPENDIX E


Individual Graphs of Inhalation/Exhalation Pressures in Inches of Water Through Time

Figure Number	<u>Title</u>	Page Number
103	Graph of Inhalation/Exhalation Pressures for Subject F-1	E- 3
104	Graph of Inhalation/Exhalation Pressures for Subject F-2	E-3
105	Graph of Inhalation/Exhalation Pressures for Subject F-3	E-4
106	Graph of Inhalation/Exhalation Pressures for Subject F-4	E-4
107	Graph of Inhalation/Exhalation Pressures for Subject F-5	E-5
108	Graph of Inhalation/Exhalation Pressures for Subject F-6	E-5
109	Graph of Inhalation/Exhalation Pressures for Subject F-7	E-6
110	Graph of Inhalation/Exhalation Pressures for Subject F-8	E-6
111	Graph of Inhalation/Exhalation Pressures for Subject F-9	E-7
112	Graph of Inhalation/Exhalation Pressures for Subject F-10	E-7
113	Graph of Inhalation/Exhalation Pressures for Subject F-11	E-8
114	Graph of Inhalation/Exhalation Pressures for Subject F-12	E-8
115	Graph for Inhalation/Exhalation Pressures for Subject M-1	E-9
116	Graph for Inhalation/Exhalation Pressures for Subject M-2	E-9
117	Graph for Inhalation/Exhalation Pressures for Subject M-3	E-10


APPENDIX E - continued

Number	<u>Title</u>	Number
118	Graph for Inhalation/Exhalation Pressures for Subject M-4	E-10
119	Graph for Inhalation/Exhalation Pressures for Subject M-5	E-11
120	Graph for Inhalation/Exhalation Pressures for Subject M-6	E-11
121	Graph for Inhalation/Exhalation Pressures for Subject M-7	E-12
122	Graph for Inhalation/Exhalation Pressures for Subject M-8	E-12
123	Graph for Inhalation/Exhalation Pressures for Subject M-9	E-13
1.24	Graph for Inhalation/Exhalation Pressures for Subject M-10	E-13
125	Graph for Inhalation/Exhalation Pressures for Subject M-11	E-14
126	Graph for Inhalation/Exhalation Pressures for Subject M-12	E-14


BREATHING RESISTANCE F-1, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE F-2, CAMI TESTS - GROUND LEVEL



BREATHING RESISTANCE F-3, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE




NOHES OF WATER


BREATHING RESISTANCE F-5, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE F-6, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE F-7, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE F-8, CAMI TESTS - GROUND LEVEL



BREATHING RESISTANCE F-9, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE F-10, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE F-11, CAMI TESTS - GROUND LEVEL

NOFES OF WATER


NOTES OF WATER




BREATHING RESISTANCE F-12, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE M-1, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE M-2, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE M-3, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE M-4, CAMI TESTS - GROUND LEVEL



BREATHING RESISTANCE M-5, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE M-6, CAMI TESTS - GROUND LEVEL




NOFES OF WATER

BREATHING RESISTANCE M-7, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE M-8, CAMI TESTS - GROUND LEVEL




E-12

BREATHING RESISTANCE M-9, CAMI TESTS - GROUND LEVEL

NOES OF WATER




BREATHING RESISTANCE M-10, CAMI TESTS - GROUND LEVEL




BREATHING RESISTANCE M-11, CAMI TESTS - GROUND LEVEL

NOFES OF WATER




BREATHING RESISTANCE M-12, CAMI TESTS - GROUND LEVEL





APPENDIX F


Graphs of Oxygen Concentration, Carbon Dioxide Concentration, Inhalation/Exhalation Pressures, and Internal PBE Dry Bulb Temperature for Three Subjects Comparing Ground Level Data to Data at 8,000 ft Simulated Altitude


Figure Number	<u>Title</u>	Page Number
127	Graph of Oxygen Concentration for Subject M-2 at Ground Level and 8,000 Ft	F-2
128	Graph of Oxygen Concentration for Subject M-3 at Ground Level and 8,000 Ft	F-3
129	Graph of Oxygen Concentration for Subject M-5 at Ground Level and 8,000 Ft	F-4
130	Graph of Carbon Dioxide Concentration for Subject M-2 at Ground Level and 8,000 Ft	F-5
131	Graph of Carbon Dioxide Concentration for Subject M-3 at Ground Level and 8,000 Ft	F-6
132	Graph of Carbon Dioxide Concentration for Subject M-5 at Ground Level and 8,000 Ft	F- 7
133	Graph of Inhalation/Exhalation Pressures for Subject M-2 at Ground Level and 8,000 Ft	
134	Graph of Inhalation/Exhalation Pressures for Subject M-3 at Ground Level and 8,000 Ft	
135	Graph of Inhalation/Exhalation Pressures for Subject M-5 at Ground Level and 8,000 Ft	
136	Graph of Internal PBE Temperature for Subject M-2 at Ground Level and 8,000 Ft	F-11
137	Graph of Internal PBE Temperature for Subject M-3 at Ground Level and 8,000 Ft	F-12
138	Graph of Internal PBE Temperature for Subject M-5 at Ground Level and 8,000 Ft	F-13





















-Figure 133-








-Figure 136-





FTI MFD ---